



Senarai Pembekal Sistem Kekuda Bumbung Bil. 2/2007					
1. Cold Formed Steel Truss					
No	Name and Address of System Provider	Material Properties	Type of Fasteners	Minimum Corrosion Protection	Approval Status
1	UAC Steel System Sdn Bhd Lot 34 Jalan Beliong 15/11 P.O. Box 7796 40000 Shah Alam, Selangor Tel : 03 – 5513 1133 Fax: 03 – 5511 3699	Lipped C-Section Min.Yield Stress 550 MPa Min.Thickness 0.6mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	Conditional Approval (Approval by CKSGJ as per project basis)
2	BLUESCOPE Lysaght (M)Sdn.Bhd. 6,Persiaran Kemajuan Seksyen 16 P.O.Box 2222, Pusat Bisnes Bukit Raja 40800 Shah Alam Tel : 03 – 5519 2000 Fax: 03 – 5510 5428	C-Channel Min.Yield Stress 550 MPa Min.Thickness 0.75mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	Temporary Suspended
3	C&G Fabricators Sdn Bhd 3 rd Floor, Wisma Domain 18A, Jalan 51A/223 46100 Petaling Jaya Tel : 03 – 7956 5186 Fax: 03 – 7958 6181	C-Channel Min.Yield Stress 550 MPa Min.Thickness 0.6mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Steeltex (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
4	Newsteel Building System Sdn.Bhd. 2-1-1, Jalan Prima 6 Pusat Niaga Metro Prima Metro Prima 52100 Kuala Lumpur Tel : 03 – 6257 4892 Fax: 03 – 6257 6820	Lipped C-Section Min.Yield Stress 550 MPa Min.Thickness 0.8mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Arc Welding	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
5	Liteframes Sdn. Bhd. 190, Jalan Nilai 3/18 Nilai 3 Industrial Park 71800 Nilai, Negeri Sembilan Tel : 06-799 2622 Fax: 06-799 5122	C-Channel Min.Yield Stress 550 MPa Min.Thickness 0.6mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
6	Tong Yong Metal Sdn.Bhd. Lot 5781 & 5782 Taman Selamat Alma 14000 Bukit Mertajam Seberang Perai Tengah, Pulau Pinang Tel : 04 – 552 3086/ 3089 / 3090 Fax: 04 – 552 3087	Rect.Hollow Section (with flat surfaces) Min.Yield Stress 550 MPa Min.Thickness 0.6mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
7	Lotez Engineering Sdn.Bhd. B 7-3-2 Block B, Megan Corporate Park Taman Desa Petaling 57100 Kuala Lumpur Tel : 03 – 9057 6691/ 6695 Fax: 03 – 9057 6617	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.00mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	5mm diameter Tenn's DX-Self Tapped Screws	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
8	Kemuning Structures Sdn Bhd. Lot 3801, 6 1/4 Miles, Seksyen 32 Jalan Klinik, Bukit Kemuning 40460 Shah Alam, Selangor Tel : 03 – 5162 1688 Fax: 03 – 5162 4286	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.00mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	



Senarai Pembekal Sistem Kekuda Bumbung Bil. 2/2007					
1. Cold Formed Steel Truss					
No	Name and Address of System Provider	Material Properties	Type of Fasteners	Minimum Corrosion Protection	Approval Status
9	Pryda (M) Sdn. Bhd. Lot 23 & 25, Jalan PJS 11/14 Bandar Sunway 46150 Petaling Jaya, Selangor Tel : 03 – 5632 1068 Fax: 03 – 5632 1069	Z-Section Min.Yield Stress 550 MPa Min.Thickness 0.8mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Pryda Steelfix (Class 2) (Hex 10-16x16R Self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
10	Visage Industries Sdn. Bhd Plot 162A, Lrg Perindustrian Bukit Minyak 11 Kawasan Perindustrian Bukit Minyak 14100 Bukit Minyak Tel : 04-508 1191 Fax: 04-508 2191	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 0.5mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
11	Cooldec Metal Sdn. Bhd. Lot 24 & 25, Jalan Industri IKS Perda, Tasek 14120 Simpang Ampat Seberang Perai Selatan, Pulau Pinang Tel : 04-588 5198 / 5398 Fax: 04-588 9598	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.0mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
12	Juara Steel Sdn. Bhd. Lot 10463, Batu 5 Jalan Kampung Jawa 41000 Klang, Selangor Tel : 03-5162 1370 Fax: 03-5162 1372	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.0mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	Conditional Approval (Approval by CKSGJ as per project basis)
13	Besimega Sdn. Bhd Lot 586, 2 nd Miles Jalan Batu Tiga Lama 41300 Klang, Selangor. Tel : 03 – 3344 4770 / 4771 Fax: 03 – 3344 6087 / 4796	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.00mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Tenn (Class 2) (self-drilling screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
14	Ajiya STI Sdn. Bhd. No.6, Jalan PPU 3 Taman Perindustrian Puchong Utama 85000 Puchong, Selangor Tel : 03 – 8061 8899 Fax: 03 – 8061 3111	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 0.8mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Tenn (Class 2) (self-drilling Screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
15	Brickwell Engineering Sdn. Bhd. Lot 4135-4137 Kaw. Perindustrian Pengkalan Chepa 16100 Kota Bharu Kelantan. Tel : 09 – 771 3677 / 3678 Fax: 09 – 771 3670	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.0mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling Screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	
16	Superspan Sdn. Bhd. No. 22, Jalan Bati Laut 4 Kawasan 16, Taman Intan 41300 Klang Selangor Darul Ehsan Tel : 09 – 3344 5748 Fax: 09 – 3343 0724	C-Lipped Channel Min.Yield Stress 550 MPa Min.Thickness 1.0mm <i>For base metal thickness greater than 1.2mm then Min.Yield Stress 450 MPa</i>	Teks (Class 2) (self-drilling Screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	



Senarai Pembekal Sistem Kekuda Bumbung Bil. 2/2007

1. Cold Formed Steel Truss

No	Name and Address of System Provider	Material Properties	Type of Fasteners	Minimum Corrosion Protection	Approval Status
17	EcoSteel Sdn. Bhd. Lot 825, Block 7 Demak Laut Industrial Park 93050 Kuching Sarawak Tel : 082 – 439 368 Fax: 082 – 433 063	C-Lipped Channel Min. Yield Stress 550 MPa Min. Thickness 1.0mm <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	WTeks (Class 2) (self-drilling Screws)	Hot-dipped Zinc Coated or Aluminium / Zinc Coated	



Senarai Pembekal Sistem Kekuda Bumbung Bil. 2/2007				
2. Timber Truss				
No	Name and Address of System Provider	Material Properties	Type of Bracings	Protective Coating for Metal Connectors
1	Pryda (M) Sdn. Bhd. Lot 23 & 25, Jalan PJS 11/14 Bandar Sunway 46150 Petaling Jaya, Selangor Tel : 03 – 5632 1068 Fax: 03 – 5632 1069	Hardwood Timber Strength Group SG1-SG4 Toothed Metal Connectors Min.Ult. Tensile 320 MPa Min.Yield Stress 250 MPa	Steel Brace (Speedbrace) conforming to AS 4440-1997 With Pryda 35 x 3.15 nails	Hot-dipped Zinc coated or Aluminium / Zinc coated
2	MiTek Asia Sdn Bhd Lot 15, Jalan Sultan Mohamad 5, Kaw. Peindustrian Bandar Sultan Sulaiman 42000 Pelabuhan Kelang, Selangor. Tel : 03 – 3176 7473 Fax: 03 – 3176 7640	Hardwood Timber Strength Group SG1-SG4 Toothed Metal Connectors Min.Ult. Tensile 320 MPa Min.Yield Stress 250 MPa	Steel Brace (Speedbrace) conforming to AS 4440-1997 With MiTek 35 x 2.8 nails	Hot-dipped Zinc coated or Aluminium / Zinc coated
3	Multinail Asia Sdn Bhd Lot 9, Jalan BK 1/14 Bandar Kinrara Industrial Park, 47100 Puchong. Tel : 03 – 8075 8002 Fax: 03 – 8075 8313	Hardwood Timber Strength Group SG1-SG4 Toothed Metal Connectors Min.Ult. Tensile 320 MPa Min.Yield Stress 250 MPa	Steel Brace (Speedbrace) conforming to AS 4440-1997 With Multinail 35 x 3.0 flat head nails	Hot-dipped Zinc coated or Aluminium / Zinc coated
4	Nail-Plate Sdn Bhd 13-A, Jalan SS 14/1A, 47500 Subang Jaya, Selangor. Tel : 03 – 5631 9698 Fax: 03 – 5637 2433	Hardwood Timber Strength Group SG1-SG4 Toothed Metal Connectors Min.Ult. Tensile 320 MPa Min.Yield Stress 250 MPa	Timber brace (Hardwood) SG1-SG4 conforming to Australian Standard	Hot-dipped Zinc coated or Aluminium / Zinc coated

Senarai ini dikeluarkan oleh : Pengarah
Cawangan Kejuruteraan Awam, Struktur & Jambatan
Jabatan Kerja Raya Malaysia
Tingkat 15, Centre Point North,
The Boulevard, Mid Valley City Park,
Lingkaran Syed Putra,
59200 Kuala Lumpur

Pegawai untuk dihubungi : Ir. Mohd. Noor Azudin Mansor Tel: 03-9235 4765 E-mel: azudin@jkr.gov.my
Hanizah Argadan Tel: 03-9235 4766 E-mel: hanizaha@jkr.gov.my
Umi Adzmira Zawawi Tel: 03-9235 4769 E-mel: Adzmira@jkr.gov.my

Untuk senarai terkini sila layari [http:// www.jkr.gov.my](http://www.jkr.gov.my)